according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 30 Mar 2021 Print date: 30 Mar 2021

Version: 3



# **HYDROPOX EPG A-Komponente**

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name/designation:

# **HYDROPOX EPG A-Komponente**

#### UFI:

WQ9V-QRX0-M9AP-937A

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

No data available

# 1.3. Details of the supplier of the safety data sheet

# Supplier (manufacturer/importer/only representative/downstream user/distributor): TPH Bausysteme GmbH

Nordportbogen 8 22848 Norderstedt

Germany

Telephone: +49 40 52 90 66 78-0
Telefax: +49 40 52 90 66 78-78
E-mail: info@tph-bausysteme.com
Website: www.tph-bausysteme.com

E-mail (competent person): sdb-info@tph-bausysteme.com

# 1.4. Emergency telephone number

24h: GIZ-Nord +49 551 / 19240

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No 1272/2008 [CLP]:

Hazard classes and hazard categories	Hazard statements	Classification pro cedure
Skin corrosion/irritation (Skin Irrit. 2)	H315: Causes skin irritation.	
Respiratory or skin sensitisation (Skin Sens. 1)	H317: May cause an allergic skin reaction.	
Serious eye damage/eye irritation (Eye Irrit. 2)	H319: Causes serious eye irritation.	
Hazardous to the aquatic environment (Aquatic Chronic 2)	H411: Toxic to aquatic life with long lasting effects.	

#### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms:





**GHS07** Exclamation mark

Environment

Signal word: Warning

TPH Bauysteme GmbH Page 1/10 en / IT / ID / CZ / EE / KZ / ...

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 30 Mar 2021 Print date: 30 Mar 2021

Version: 3



# **HYDROPOX EPG A-Komponente**

### Hazard components for labelling:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane; Reaction mass of 2,2'-[methylenebis(2,1-phenyleneoxymethylene)]bis(oxirane) and 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]bis(oxirane) and 2-({2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy}methyl)oxirane; Oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

hazard statements for health hazards	
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.

Hazard statements for environmental hazards	
H411	Toxic to aquatic life with long lasting effects.

Supplemental haza	ard information
EUH205	Contains epoxy constituents. May produce an allergic reaction.

Precautionary statements Prevention		
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.	
P273	Avoid release to the environment.	
P280	Wear protective gloves/protective clothing and eye/face protection.	

Precautionary statements Response		
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.	

Precautionary statements Disposal		
P501	Dispose of contents/container to an appropriate recycling or disposal facility.	

#### 2.3. Other hazards

No data available

# **SECTION 3: Composition / information on ingredients**

# 3.2. Mixtures

# Hazardous ingredients / Hazardous impurities / Stabilisers:

product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concen- tration
CAS No.: 1675-54-3 EC No.: 216-823-5 REACH No.: 01-2119456619-26-XXXX	2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane Aquatic Chronic 2, Eye Irrit. 2, Skin Irrit. 2, Skin Sens. 1  Warning H315-H317-H319-H411	30 - 60 weight-%
EC No.: 701-263-0 REACH No.: 01-2119454392-40-XXXX	Reaction mass of 2,2'-[methylenebis(2,1-phenyleneoxymethylene)]bis(oxirane) and 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]bis(oxirane) and 2-({2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy}methyl)oxirane Aquatic Chronic 2, Skin Irrit. 2, Skin Sens. 1  Warning H315-H317-H411	20 - 35 weight-%
CAS No.: 68609-97-2 EC No.: 271-846-8 REACH No.: 01-2119485289-22-XXXX	Oxirane, mono[(C12-14-alkyloxy)methyl] derivs. Skin Irrit. 2, Skin Sens. 1  Warning H315-H317	10 – 20 weight-%

Full text of H- and EUH-phrases: see section 16.

TPH Bauysteme GmbH Page 2/10 en / IT / ID / CZ / EE / KZ / ...

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 30 Mar 2021 Print date: 30 Mar 2021

Version: 3



# **HYDROPOX EPG A-Komponente**

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

### **General information:**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended.

# Following inhalation:

Provide fresh air. In case of respiratory tract irritation, consult a physician.

#### In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. If skin irritation or rash occurs: Get medical advice/attention. Take off immediately all contaminated clothing.

### After eve contact:

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

# Following ingestion:

Rinse mouth. Let water be drunken in little sips (dilution effect). Get medical advice/attention if you feel unwell.

# Self-protection of the first aider:

Use personal protection equipment.

# 4.2. Most important symptoms and effects, both acute and delayed

Skin corrosion/irritation Allergic reactions Serious eye damage/eye irritation

# 4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically.

# **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media:

Foam

#### Unsuitable extinguishing media:

Full water jet

#### 5.2. Special hazards arising from the substance or mixture

#### **Hazardous combustion products:**

In case of fire: Gases/vapours, toxic

# 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

#### 5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

# **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

# 6.1.1. For non-emergency personnel

### Personal precautions:

Remove persons to safety.

# **Protective equipment:**

Wear protective gloves/protective clothing/eye protection/face protection.

TPH Bauysteme GmbH Page 3/10 en / IT / ID / CZ / EE / KZ / ...

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 30 Mar 2021 Print date: 30 Mar 2021

Version: 3



# **HYDROPOX EPG A-Komponente**

# 6.1.2. For emergency responders

# Personal protection equipment:

Personal protection equipment: see section 8

# 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

#### For containment:

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

#### 6.5. Additional information

Use appropriate container to avoid environmental contamination.

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

#### **Protective measures**

### Advices on safe handling:

Wear personal protection equipment (refer to section 8).

### Advices on general occupational hygiene

When using do not eat, drink or smoke. Avoid contact with eyes and skin.

# 7.2. Conditions for safe storage, including any incompatibilities

### Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place.

**Storage class:** 10 - Combustible liquids that cannot be assigned to any of the above storage classes

#### 7.3. Specific end use(s)

No data available

# SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

# 8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	<ol> <li>Long-term occupational exposure limit value</li> <li>short-term occupational exposure limit value</li> <li>Instantaneous value</li> <li>Monitoring and observation processes</li> <li>Remark</li> </ol>
TRGS 900 (DE)	Hydrocarbons, TRGS 900	① 0 mg/m³ ⑤ Mass fraction (wt %): 0

#### 8.1.2. Biological limit values

No data available

#### 8.1.3. DNEL-/PNEC-values

No data available

TPH Bauysteme GmbH Page 4/10 en / IT / ID / CZ / EE / KZ / ...

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 30 Mar 2021 Print date: 30 Mar 2021

Version: 3



# **HYDROPOX EPG A-Komponente**

# 8.2. Exposure controls

# 8.2.1. Appropriate engineering controls

No data available

# 8.2.2. Personal protection equipment

# **Eye/face protection:**

Eye glasses with side protection DIN EN 166

# Skin protection:

Tested protective gloves must be worn EN ISO 374 Suitable material: Breakthrough time: min In the case of wanting to use the gloves again, clean them before taking off and air them well. Breakthrough times and swelling properties of the material must be taken into consideration.

# Respiratory protection:

Filtering device with filter or ventilator filtering device of type: A A

### 8.2.3. Environmental exposure controls

No data available

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

**Appearance** 

Physical state: Liquid Colour: light yellow

Odour: not determined Safety relevant basis data

parameter		at °C	Method	Remark
рН	not determined			
Melting point	not determined			
Freezing point	not determined			
Initial boiling point and boiling range	> 200 °C			
Decomposition temperature	not determined			
Flash point	> 100 °C			
Evaporation rate	not determined			
Auto-ignition temperature	not determined			
Upper/lower flammability or explosive limits	not determined			
Vapour pressure	not determined	20 °C		
Vapour density	not determined			
Density	≈ 1.13 g/cm³	23 °C	EN ISO 2811-1	
Bulk density	not determined			
Water solubility	not determined			
Partition coefficient: n-octanol/ water	not determined			
Dynamic viscosity	735 - 1,100 mPa*s	23 °C	DIN EN ISO 2555	
Kinematic viscosity	not determined			

#### 9.2. Other information

No data available

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

No data available

TPH Bauysteme GmbH Page 5/10 en / IT / ID / CZ / EE / KZ / ...

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 30 Mar 2021 Print date: 30 Mar 2021

Version: 3



# **HYDROPOX EPG A-Komponente**

### 10.2. Chemical stability

No data available

### 10.3. Possibility of hazardous reactions

No data available

#### 10.4. Conditions to avoid

No data available

# 10.5. Incompatible materials

Oxidising agent, strong

# 10.6. Hazardous decomposition products

No data available

# **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Substance name	Toxicological information
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethyle ne)]bisoxirane CAS No.: 1675-54-3 EC No.: 216-823-5	LD <sub>50</sub> oral: 15,000 mg/kg (Rat) LD <sub>50</sub> dermal: 23,000 mg/kg (Rabbit)
Reaction mass of 2,2'-[methylenebis(2,1-phenyleneox ymethylene)]bis(oxirane) and 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]bis(oxirane) and 2-({2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy}methyl)oxirane EC No.: 701-263-0	LD <sub>50</sub> oral: >2,000 mg/kg (Rat) LD <sub>50</sub> dermal: >2,000 mg/kg (Rat)
Oxirane, mono[(C12-14-alkyloxy)methyl] derivs. CAS No.: 68609-97-2 EC No.: 271-846-8	LD <sub>50</sub> oral: >5,000 mg/kg (Rat) LD <sub>50</sub> dermal: >4,500 mg/kg (Rabbit)

#### **Acute oral toxicity:**

Based on available data, the classification criteria are not met.

## Acute dermal toxicity:

Based on available data, the classification criteria are not met.

# Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

# Skin corrosion/irritation:

Causes skin irritation.

#### Serious eve damage/irritation:

Causes serious eye irritation.

## Respiratory or skin sensitisation:

May cause an allergic skin reaction. Contains Reaction mass of 2,2'-

[methylenebis(2,1-phenyleneoxymethylene)]bis(oxirane) and 2,2'-

[methylenebis(4,1-phenyleneoxymethylene)]bis(oxirane) and 2-({2-[4-(oxiran-2-

ylmethoxy)benzyl]phenoxy}methyl)oxirane, 2,2'-[(1-methylethylidene)bis(4,1-

phenyleneoxymethylene)]bisoxirane, Oxirane, mono[(C12-14-alkyloxy)methyl] derivs.. May produce an allergic reaction.

## Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

# **Carcinogenicity:**

Based on available data, the classification criteria are not met.

#### Reproductive toxicity:

Based on available data, the classification criteria are not met.

TPH Bauysteme GmbH Page 6/10 en / IT / ID / CZ / EE / KZ / ...

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 30 Mar 2021 Print date: 30 Mar 2021

Version: 3



# **HYDROPOX EPG A-Komponente**

### **STOT-single exposure:**

Based on available data, the classification criteria are not met.

# **STOT-repeated exposure:**

Based on available data, the classification criteria are not met.

### **Aspiration hazard:**

Based on available data, the classification criteria are not met.

#### **Additional information:**

No data available

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Substance name	Toxicological information
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethyle ne)]bisoxirane CAS No.: 1675-54-3 EC No.: 216-823-5	LC <sub>50</sub> : 100 mg/l (Pseudomonas putida) EC <sub>50</sub> : 1.8 mg/l 2 d (Daphnia magna (Big water flea)) EC <sub>50</sub> : 11 mg/l 3 d (Algae/water plant, Selenastrum capr icornutum) LC <sub>50</sub> : 2 mg/l 4 d (fish)
Reaction mass of 2,2'-[methylenebis(2,1-phenyleneox ymethylene)]bis(oxirane) and 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]bis(oxirane) and 2-({2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy}methyl)oxirane EC No.: 701-263-0	LC <sub>50</sub> : 2.55 mg/l 2 d (crustaceans, Daphnia magna (Big water flea)) LC <sub>50</sub> : 1.8 mg/l 3 d (Algae/water plant, Selenastrum cap ricornutum) EC <sub>50</sub> : 2.54 mg/l 4 d (fish, Leuciscus idus (golden orfe))
Oxirane, mono[(C12-14-alkyloxy)methyl] derivs. CAS No.: 68609-97-2 EC No.: 271-846-8	EC <sub>50</sub> : >100 mg/l (Activated sludge) EC <sub>50</sub> : >7.2 mg/l 2 d (Daphnia magna (Big water flea)) EC <sub>50</sub> : 844 mg/l 3 d (Algae/water plant) LC <sub>50</sub> : >5,000 mg/l 4 d

#### **Aquatic toxicity:**

Toxic to aquatic life with long lasting effects.

# 12.2. Persistence and degradability

No data available

#### 12.3. Bioaccumulative potential

No data available

# 12.4. Mobility in soil

No data available

#### 12.5. Results of PBT and vPvB assessment

Substance name	Results of PBT and vPvB assessment
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane CAS No.: 1675-54-3 EC No.: 216-823-5	_
Reaction mass of 2,2'-[methylenebis(2,1-phenyleneoxymethylene)]bis(oxirane) and 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]bis(oxirane) and 2-({2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy}methyl)oxirane EC No.: 701-263-0	_
Oxirane, mono[(C12-14-alkyloxy)methyl] derivs. CAS No.: 68609-97-2 EC No.: 271-846-8	_

#### 12.6. Other adverse effects

No data available

TPH Bauysteme GmbH	Page 7/10	en / IT / ID / CZ / EE / KZ /

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 30 Mar 2021 Print date: 30 Mar 2021

Version: 3



# **HYDROPOX EPG A-Komponente**

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

# 13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

# Waste code product:

08 01 11 *	Waste paint and varnish containing organic solvents or other dangerous substances
08 02 99	Wastes not otherwise specified

<sup>\*:</sup> Evidence for disposal must be provided.

# **Waste treatment options**

# **Appropriate disposal / Product:**

Consult the appropriate local waste disposal expert about waste disposal.

# **SECTION 14: Transport information**

		Y	
Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA- DGR)
14.1. UN-No.			
UN 3082	UN 3082	UN 3082	UN 3082
14.2. UN proper shi	pping name		
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Epoxy resin)			
14.3. Transport hazard class(es)			
9	9	9	9
14.4. Packing group			
III	III	III	III
14.5. Environmental hazards			
<u>*</u>	<b>E</b>	¥2>	<u>*</u>
		MARINE POLLUTANT	

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 30 Mar 2021 Print date: 30 Mar 2021

Version: 3



# **HYDROPOX EPG A-Komponente**

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA- DGR)
14.6. Special precau	utions for user		
<b>Special provisions:</b> 274   335   375   601	<b>Special provisions:</b> 274   335   375   601	Special provisions: 274   335   969	Special provisions: A97   A158   A197
Limited quantity (LQ): 5 L	Limited quantity (LQ): 5 L	Limited quantity (LQ): 5 L	Limited quantity (LQ): Y964
Excepted Quantiti es (EQ): E1	Excepted Quantitie s (EQ): E1	Excepted Quantitie s (EQ): E1	Excepted Quantiti es (EQ): E1
Hazard identificati on number (Kemle r No.): 90	Classification code: M6 Remark:	EmS-No.: F-A, S-F Remark:	Remark:
Classification code: M6			
tunnel restriction code: (-)			
Remark:			

# 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No data available

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# 15.1.1. EU legislation

No data available

#### 15.1.2. National regulations

# [DE] National regulations

# Water hazard class

WGK:

2 - deutlich wassergefährdend

#### Other regulations, restrictions and prohibition regulations

MAL-kode (Denmark): 00-5

MAL-kode (Denmark): 00-5 (Ready-for-use mixture)

ZH 1/129 "Merkblatt: Reizende Stoffe/Ätzende Stoffe (M 004)" ZH 1/301 "Merkblatt: Polyester- und Epoxid-Harze (M 023)"

# [DK] National regulations

#### Other regulations, restrictions and prohibition regulations

MAL-kode (Denmark): 00-5

MAL-kode (Denmark): 00-5 (Ready-for-use mixture)

### 15.2. Chemical Safety Assessment

No data available

# **SECTION 16: Other information**

#### 16.1. Indication of changes

No data available

TPH Bauysteme GmbH Page 9/10 en / IT / ID / CZ / EE / KZ / ...

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 30 Mar 2021 Print date: 30 Mar 2021

Version: 3



# **HYDROPOX EPG A-Komponente**

# 16.2. Abbreviations and acronyms

No data available

# 16.3. Key literature references and sources for data

No data available

# 16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

# Classification according to Regulation (EC) No 1272/2008 [CLP]:

Hazard classes and hazard categories	Hazard statements	Classification pro cedure
Skin corrosion/irritation (Skin Irrit. 2)	H315: Causes skin irritation.	
Respiratory or skin sensitisation (Skin Sens. 1)	H317: May cause an allergic skin reaction.	
Serious eye damage/eye irritation (Eye Irrit. 2)	H319: Causes serious eye irritation.	
Hazardous to the aquatic environment (Aquatic Chronic 2)	H411: Toxic to aquatic life with long lasting effects.	

# 16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements	
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.

#### 16.6. Training advice

No data available

## 16.7. Additional information

No data available

TPH Bauysteme GmbH Page 10/10 en / IT / ID / CZ / EE / KZ / ...