

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 26 Aug 2021

Print date: 14 Feb 2022

Version: 2



## PROOFMATE TX-S A-Komponente

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name/designation:

**PROOFMATE TX-S A-Komponente**

UFI:

6XMK-VWG0-29RN-855D

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

No data available

#### 1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

**TPH Bausysteme GmbH**

Nordportbogen 8

22848 Norderstedt

Germany

**Telephone:** +49 40 52 90 66 78-0

**Telefax:** +49 40 52 90 66 78-78

**E-mail:** info@tph-bausysteme.com

**Website:** www.tph-bausysteme.com

**E-mail (competent person):** sdb-info@tph-bausysteme.com

#### 1.4. Emergency telephone number

24h: International access phone number: +1-813-248-0585 /// United States, Canada, Puerto Rico, U.S. Virgin Islands: 1-800-255-3924 (Contract No. MIS7249185) /// Australia: 1-300-954-583 /// Brazil: 0-800-591-6042 /// China: 400-120-0751 /// India: 000-800-100-4086 /// Mexico: 800-099-0731

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Skin corrosion/irritation ( <i>Skin Irrit. 2</i> )	H315: Causes skin irritation.	
Respiratory or skin sensitisation ( <i>Skin Sens. 1</i> )	H317: May cause an allergic skin reaction.	
Serious eye damage/eye irritation ( <i>Eye Irrit. 2</i> )	H319: Causes serious eye irritation.	
Hazardous to the aquatic environment ( <i>Aquatic Chronic 2</i> )	H411: Toxic to aquatic life with long lasting effects.	

#### Additional information:

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 26 Aug 2021

Print date: 14 Feb 2022

Version: 2

**TPH.**  
waterproofing systems

## PROOFMATE TX-S A-Komponente

### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



**GHS07**

Exclamation mark



**GHS09**

Environment

**Signal word:** Warning

**Hazard components for labelling:**

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane; Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol; Oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

#### Hazard statements for health hazards

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.

#### Hazard statements for environmental hazards

H411	Toxic to aquatic life with long lasting effects.
------	--

#### Supplemental hazard information

EUH208	Contains Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol, 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane, Oxirane, mono[(C12-14-alkyloxy)methyl] derivs.. May produce an allergic reaction.
--------	---

#### Precautionary statements Prevention

P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.

#### Precautionary statements Response

P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P332 + P313	If skin irritation occurs: Get medical advice/attention.
P337 + P313	If eye irritation persists: Get medical advice/attention.

### 2.3. Other hazards

No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 26 Aug 2021

Print date: 14 Feb 2022

Version: 2



## PROOFMATE TX-S A-Komponente

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

##### Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 1675-54-3 EC No.: 216-823-5 REACH No.: 01-2119456619-26-XXXX	<b>2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane</b> Eye Irrit. 2 (H319), Skin Irrit. 2 (H315), Skin Sens. 1 (H317) <b>Warning</b> <b>Specific concentration limit (SCL)</b> Eye Irrit. 2; H319: C ≥ 5% Skin Irrit. 2; H315: C ≥ 5%	20 - 50 weight-%
CAS No.: 9003-36-5 EC No.: 500-006-8 REACH No.: 01-2119456619-26-XXXX	<b>Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol</b> Aquatic Chronic 2 (H411), Eye Irrit. 2 (H319), Skin Irrit. 2 (H315), Skin Sens. 1 (H317) <b>Warning</b>	25 - 50 weight-%
CAS No.: 68609-97-2 EC No.: 271-846-8 REACH No.: 01-2119485289-22-XXXX	<b>Oxirane, mono[(C12-14-alkyloxy)methyl] derivs.</b> Skin Irrit. 2 (H315), Skin Sens. 1 (H317) <b>Warning</b>	5 - 10 weight-%

Full text of H- and EUH-phrases: see section 16.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended.

##### Following inhalation:

Provide fresh air. In case of respiratory tract irritation, consult a physician.

##### In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. If skin irritation or rash occurs: Get medical advice/attention. Take off immediately all contaminated clothing.

##### After eye contact:

In case of contact with eyes, rinse immediately thoroughly with plenty of edible oil and consult an ophthalmologist.

##### Following ingestion:

Rinse mouth. Let water be drunken in little sips (dilution effect). Get medical advice/attention if you feel unwell.

##### Self-protection of the first aider:

Use personal protection equipment.

#### 4.2. Most important symptoms and effects, both acute and delayed

Skin corrosion/irritation Allergic reactions Serious eye damage/eye irritation

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

##### Suitable extinguishing media:

alcohol resistant foam Extinguishing powder Carbon dioxide (CO<sub>2</sub>) Water spray jet

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 26 Aug 2021

Print date: 14 Feb 2022

Version: 2



## PROOFMATE TX-S A-Komponente

### Unsuitable extinguishing media:

Full water jet

### 5.2. Special hazards arising from the substance or mixture

#### Hazardous combustion products:

In case of fire: Gases/vapours, toxic

### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

### 5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

##### Personal precautions:

Remove persons to safety.

##### Protective equipment:

Wear protective gloves/protective clothing/eye protection/face protection.

#### 6.1.2. For emergency responders

##### Personal protection equipment:

Personal protection equipment: see section 8

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

#### For containment:

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up:

Solvents/Thinner

### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

### 6.5. Additional information

Use appropriate container to avoid environmental contamination.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Protective measures

#### Advices on safe handling:

Wear personal protection equipment (refer to section 8).

#### Advices on general occupational hygiene

When using do not eat, drink or smoke. Avoid contact with eyes and skin.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place.

### 7.3. Specific end use(s)

No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 26 Aug 2021

Print date: 14 Feb 2022

Version: 2



## PROOFMATE TX-S A-Komponente

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### 8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② Short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
TRGS 900 (DE)	Hydrocarbons, TRGS 900	① 0 mg/m <sup>3</sup> ⑤ Mass fraction (wt %): 0

##### 8.1.2. Biological limit values

No data available

##### 8.1.3. DNEL-/PNEC-values

No data available

#### 8.2. Exposure controls

##### 8.2.1. Appropriate engineering controls

No data available

##### 8.2.2. Personal protection equipment

###### Eye/face protection:

Eye glasses with side protection EN 166

###### Skin protection:

Tested protective gloves must be worn EN ISO 374 Suitable material: Breakthrough time: min  
In the case of wanting to use the gloves again, clean them before taking off and air them well.  
Breakthrough times and swelling properties of the material must be taken into consideration.

###### Respiratory protection:

Filtering device with filter or ventilator filtering device of type: A

##### 8.2.3. Environmental exposure controls

No data available

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

##### Appearance

**Physical state:** Liquid

**Colour:** grey

**Odour:** not determined

##### Safety relevant basis data

Parameter	Value	at °C	① Method ② Remark
pH	<i>not determined</i>		
Melting point	<i>not determined</i>		
Freezing point	<i>not determined</i>		
Initial boiling point and boiling range	<i>not determined</i>		
Decomposition temperature	<i>not determined</i>		
Flash point	> 140 °C		
Evaporation rate	<i>not determined</i>		
Auto-ignition temperature	<i>not determined</i>		
Upper/lower flammability or explosive limits	<i>not determined</i>		
Vapour pressure	<i>not determined</i>		

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 26 Aug 2021

Print date: 14 Feb 2022

Version: 2



## PROOFMATE TX-S A-Komponente

Parameter	Value	at °C	① Method ② Remark
Vapour density	<i>not determined</i>		
Density	1.83 g/cm <sup>3</sup>	23 °C	① EN ISO 2811-1
Relative density	<i>not determined</i>		
Bulk density	<i>not determined</i>		
Water solubility	The study does not need to be conducted because the substance is known to be insoluble in water.		
Partition coefficient: n-octanol/water	<i>not determined</i>		
Dynamic viscosity	<i>not determined</i>		
Kinematic viscosity	<i>not determined</i>		

### 9.2. Other information

No data available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No data available

### 10.2. Chemical stability

No data available

### 10.3. Possibility of hazardous reactions

No data available

### 10.4. Conditions to avoid

No data available

### 10.5. Incompatible materials

Alcohols Alkali (lye) Amines

### 10.6. Hazardous decomposition products

No data available

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Substance name	Toxicological information
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane CAS No.: 1675-54-3 EC No.: 216-823-5	<b>LD<sub>50</sub> oral:</b> 15,000 mg/kg (Rat) <b>LD<sub>50</sub> dermal:</b> 23,000 mg/kg (Rabbit)
Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol CAS No.: 9003-36-5 EC No.: 500-006-8	<b>LD<sub>50</sub> oral:</b> >2,000 mg/kg (Rat) <b>LD<sub>50</sub> dermal:</b> >2,000 mg/kg (Rat)
Oxirane, mono[(C12-14-alkyloxy)methyl] derivs. CAS No.: 68609-97-2 EC No.: 271-846-8	<b>LD<sub>50</sub> oral:</b> >5,000 mg/kg (Rat) <b>LD<sub>50</sub> dermal:</b> >4,500 mg/kg (Rabbit)

### Acute oral toxicity:

Based on available data, the classification criteria are not met.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 26 Aug 2021

Print date: 14 Feb 2022

Version: 2



## PROOFMATE TX-S A-Komponente

### Acute dermal toxicity:

Based on available data, the classification criteria are not met.

### Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

### Skin corrosion/irritation:

Causes skin irritation.

### Serious eye damage/irritation:

Causes serious eye irritation.

### Respiratory or skin sensitisation:

May cause an allergic skin reaction.

### Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

### Carcinogenicity:

Based on available data, the classification criteria are not met.

### Reproductive toxicity:

Based on available data, the classification criteria are not met.

### STOT-single exposure:

Based on available data, the classification criteria are not met.

### STOT-repeated exposure:

Based on available data, the classification criteria are not met.

### Aspiration hazard:

Based on available data, the classification criteria are not met.

### Additional information:

No data available

### 11.2. Information on other hazards

No data available

## SECTION 12: Ecological information

### 12.1. Toxicity

Substance name	Toxicological information
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane CAS No.: 1675-54-3 EC No.: 216-823-5	LC <sub>50</sub> : 100 mg/l (Pseudomonas putida) EC <sub>50</sub> : 1.8 mg/l 2 d (Daphnia magna (Big water flea)) EC <sub>50</sub> : 11 mg/l 3 d (Algae/water plant, Selenastrum capricornutum) LC <sub>50</sub> : 2 mg/l 4 d (fish)
Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol CAS No.: 9003-36-5 EC No.: 500-006-8	LC <sub>50</sub> : 1.8 mg/l 3 d (Selenastrum capricornutum) EC <sub>50</sub> : 2.54 mg/l 4 d (fish, Leuciscus idus (golden orfe))
Oxirane, mono[(C12-14-alkyloxy)methyl] derivs. CAS No.: 68609-97-2 EC No.: 271-846-8	EC <sub>50</sub> : >100 mg/l (Activated sludge) EC <sub>50</sub> : >7.2 mg/l 2 d (Daphnia magna (Big water flea)) EC <sub>50</sub> : 844 mg/l 3 d (Algae/water plant) LC <sub>50</sub> : >5,000 mg/l 4 d

### Aquatic toxicity:

Toxic to aquatic life with long lasting effects.

### 12.2. Persistence and degradability

No data available

### 12.3. Bioaccumulative potential

No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 26 Aug 2021

Print date: 14 Feb 2022

Version: 2



## PROOFMATE TX-S A-Komponente

### 12.4. Mobility in soil

No data available

### 12.5. Results of PBT and vPvB assessment

Substance name	Results of PBT and vPvB assessment
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane CAS No.: 1675-54-3 EC No.: 216-823-5	—
Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol CAS No.: 9003-36-5 EC No.: 500-006-8	—
Oxirane, mono[(C12-14-alkyloxy)methyl] derivs. CAS No.: 68609-97-2 EC No.: 271-846-8	—

### 12.6. Endocrine disrupting properties

No data available

### 12.7. Other adverse effects

No data available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### 13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

#### Waste code product

08 01 11 \* Waste paint and varnish containing organic solvents or other dangerous substances

\*: Evidence for disposal must be provided.

#### Waste treatment options

#### Appropriate disposal / Product:

Consult the appropriate local waste disposal expert about waste disposal.

## SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
<b>14.1. UN number or ID number</b>			
UN 3082	UN 3082	UN 3082	UN 3082
<b>14.2. UN proper shipping name</b>			
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol)
<b>14.3. Transport hazard class(es)</b>			
<b>14.4. Packing group</b>			
III	III	III	III



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 26 Aug 2021

Print date: 14 Feb 2022

Version: 2

**TPH.**  
waterproofing systems

## PROOFMATE TX-S A-Komponente

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
--------------------------	-----------------------------	----------------------	------------------------------------

### 14.5. Environmental hazards

			
---	---	--	---

### 14.6. Special precautions for user

<b>Special provisions:</b> 274   335   375   601 <b>Limited quantity (LQ):</b> 5 L <b>Excepted Quantities (EQ):</b> E1 <b>Hazard identification number (Kemler No.):</b> 90 <b>Classification code:</b> M6 <b>Tunnel restriction code:</b> (-)	<b>Special provisions:</b> 274   335   375   601 <b>Limited quantity (LQ):</b> 5 L <b>Excepted Quantities (EQ):</b> E1 <b>Classification code:</b> M6	<b>Special provisions:</b> 274   335   969 <b>Limited quantity (LQ):</b> 5 L <b>Excepted Quantities (EQ):</b> E1 <b>EmS-No.:</b> F-A, S-F	<b>Special provisions:</b> A97   A158   A197   A215 <b>Limited quantity (LQ):</b> Y964 <b>Excepted Quantities (EQ):</b> E1
---	--	--	---

### 14.7. Maritime transport in bulk according to IMO instruments

No data available

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU legislation

No data available

#### 15.1.2. National regulations

##### [DE] National regulations

#### Water hazard class

##### WGK:

2 - deutlich wassergefährdend

#### Other regulations, restrictions and prohibition regulations

ZH 1/129 "Merkblatt: Reizende Stoffe/Ätzende Stoffe (M 004)"

ZH 1/301 "Merkblatt: Polyester- und Epoxid-Harze (M 023)"

### 15.2. Chemical Safety Assessment

No data available

## SECTION 16: Other information

### 16.1. Indication of changes

No data available

### 16.2. Abbreviations and acronyms

No data available

### 16.3. Key literature references and sources for data

No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 26 Aug 2021

Print date: 14 Feb 2022

Version: 2



## PROOFMATE TX-S A-Komponente

### 16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Skin corrosion/irritation ( <i>Skin Irrit. 2</i> )	H315: Causes skin irritation.	
Respiratory or skin sensitisation ( <i>Skin Sens. 1</i> )	H317: May cause an allergic skin reaction.	
Serious eye damage/eye irritation ( <i>Eye Irrit. 2</i> )	H319: Causes serious eye irritation.	
Hazardous to the aquatic environment ( <i>Aquatic Chronic 2</i> )	H411: Toxic to aquatic life with long lasting effects.	

### 16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements	
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.

### 16.6. Training advice

No data available

### 16.7. Additional information

No data available