

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 20 May 2021

Print date: 14 Feb 2022

Version: 1.1



## PROOFMATE TX-W A-Komponente

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name/designation:

**PROOFMATE TX-W A-Komponente**

UFI:

GTEK-01TK-RGGE-YFNS

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

No data available

#### 1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

**TPH Bausysteme GmbH**

Nordportbogen 8

22848 Norderstedt

Germany

**Telephone:** +49 40 52 90 66 78-0

**Telefax:** +49 40 52 90 66 78-78

**E-mail:** info@tph-bausysteme.com

**Website:** www.tph-bausysteme.com

**E-mail (competent person):** sdb-info@tph-bausysteme.com

#### 1.4. Emergency telephone number

24h: International access phone number: +1-813-248-0585 /// United States, Canada, Puerto Rico, U.S. Virgin Islands: 1-800-255-3924 (Contract No. MIS7249185) /// Australia: 1-300-954-583 /// Brazil: 0-800-591-6042 /// China: 400-120-0751 /// India: 000-800-100-4086 /// Mexico: 800-099-0731

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Skin corrosion/irritation ( <i>Skin Irrit. 2</i> )	H315: Causes skin irritation.	
Respiratory or skin sensitisation ( <i>Skin Sens. 1</i> )	H317: May cause an allergic skin reaction.	
Serious eye damage/eye irritation ( <i>Eye Irrit. 2</i> )	H319: Causes serious eye irritation.	
Hazardous to the aquatic environment ( <i>Aquatic Chronic 2</i> )	H411: Toxic to aquatic life with long lasting effects.	

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 20 May 2021

Print date: 14 Feb 2022

Version: 1.1

**TPH.**  
waterproofing systems

## PROOFMATE TX-W A-Komponente

### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



**GHS07**

Exclamation mark



**GHS09**

Environment

**Signal word:** Warning

**Hazard components for labelling:**

bis-[4-(2,3-epoxypropoxy)phenyl]propane ; 1,6-bis(2,3-epoxypropoxy)hexane; Reaction mass of 2,2'-[methylenebis(2,1-phenyleneoxymethylene)]bis(oxirane) and 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]bis(oxirane) and 2-(2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy)methyl)oxirane

#### Hazard statements for health hazards

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.

#### Hazard statements for environmental hazards

H411	Toxic to aquatic life with long lasting effects.
------	--

**Supplemental hazard information:** —

#### Precautionary statements Prevention

P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
------	---

#### Precautionary statements Response

P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.
P337 + P313	If eye irritation persists: Get medical advice/attention.

#### Precautionary statements Disposal

P501	Dispose of contents/container to an appropriate recycling or disposal facility.
------	---

### 2.3. Other hazards

No data available

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

**Hazardous ingredients / Hazardous impurities / Stabilisers:**

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
<b>CAS No.:</b> 1675-54-3 <b>EC No.:</b> 216-823-5	<b>bis-[4-(2,3-epoxypropoxy)phenyl]propane</b> Eye Irrit. 2 (H319), Skin Irrit. 2 (H315), Skin Sens. 1 (H317) <b>Warning</b> <b>Specific concentration limit (SCL)</b> Eye Irrit. 2; H319: C ≥ 5% Skin Irrit. 2; H315: C ≥ 5%	15 - 30 weight-%
<b>CAS No.:</b> 16096-31-4 <b>EC No.:</b> 240-260-4 <b>REACH No.:</b> 01-2119463471-41-XXXX	<b>1,6-bis(2,3-epoxypropoxy)hexane</b> Aquatic Chronic 3 (H412), Eye Irrit. 2 (H319), Skin Irrit. 2 (H315), Skin Sens. 1 (H317) <b>Warning</b>	5 - 7.5 weight-%

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)


Revision date: 20 May 2021

Print date: 14 Feb 2022

Version: 1.1



## PROOFMATE TX-W A-Komponente

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
EC No.: 701-263-0 REACH No.: 01-2119454392-40-XXXX	Reaction mass of 2,2'-[methylenebis(2,1-phenyleneoxymethylene)]bis(oxirane) and 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]bis(oxirane) and 2-({2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy)methyl}oxirane Aquatic Chronic 2 (H411), Skin Irrit. 2 (H315), Skin Sens. 1 (H317)  <b>Warning</b>	5 - 7.5 weight-%

Full text of H- and EUH-phrases: see section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended.

#### Following inhalation:

Provide fresh air. In case of respiratory tract irritation, consult a physician.

#### In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. If skin irritation or rash occurs: Get medical advice/attention. Take off immediately all contaminated clothing.

#### After eye contact:

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

#### Following ingestion:

Rinse mouth. Let water be drunken in little sips (dilution effect). Get medical advice/attention if you feel unwell.

#### Self-protection of the first aider:

Use personal protection equipment.

### 4.2. Most important symptoms and effects, both acute and delayed

Skin corrosion/irritation Allergic reactions Serious eye damage/eye irritation

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

No data available

### 5.2. Special hazards arising from the substance or mixture

#### Hazardous combustion products:

In case of fire: Gases/vapours, toxic

### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

### 5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 20 May 2021

Print date: 14 Feb 2022

Version: 1.1



## PROOFMATE TX-W A-Komponente

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

**Personal precautions:**

Remove persons to safety.

**Protective equipment:**

Wear protective gloves/protective clothing/eye protection/face protection.

##### 6.1.2. For emergency responders

**Personal protection equipment:**

Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

**For containment:**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

#### 6.5. Additional information

Use appropriate container to avoid environmental contamination.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

**Protective measures**

**Advices on safe handling:**

Wear personal protection equipment (refer to section 8).

**Advices on general occupational hygiene**

When using do not eat, drink or smoke. Avoid contact with eyes and skin.

#### 7.2. Conditions for safe storage, including any incompatibilities

**Technical measures and storage conditions:**

Keep container tightly closed in a cool, well-ventilated place.

#### 7.3. Specific end use(s)

No data available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No data available

#### 8.2. Exposure controls

##### 8.2.1. Appropriate engineering controls

No data available

##### 8.2.2. Personal protection equipment

**Eye/face protection:**

Eye glasses with side protection EN 166

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 20 May 2021

Print date: 14 Feb 2022

Version: 1.1



## PROOFMATE TX-W A-Komponente

### Skin protection:

Tested protective gloves must be worn EN ISO 374 Breakthrough times and swelling properties of the material must be taken into consideration.

### 8.2.3. Environmental exposure controls

No data available

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Appearance

**Physical state:** Liquid

**Colour:** grey

**Odour:** not determined

#### Safety relevant basis data

Parameter	Value	at °C	① Method ② Remark
pH	<i>not determined</i>		
Melting point	<i>not determined</i>		
Freezing point	<i>not determined</i>		
Initial boiling point and boiling range	<i>not determined</i>		
Decomposition temperature	<i>not determined</i>		
Flash point	<i>not determined</i>		
Evaporation rate	<i>not determined</i>		
Auto-ignition temperature	<i>not determined</i>		
Upper/lower flammability or explosive limits	<i>not determined</i>		
Vapour pressure	<i>not determined</i>		
Vapour density	<i>not determined</i>		
Density	≈ 1.8124 g/cm <sup>3</sup>	23 °C	
Relative density	<i>not determined</i>		
Bulk density	<i>not determined</i>		
Water solubility	<i>not determined</i>		
Partition coefficient: n-octanol/water	<i>not determined</i>		
Dynamic viscosity	<i>not determined</i>		
Kinematic viscosity	<i>not determined</i>		

### 9.2. Other information

No data available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No data available

### 10.2. Chemical stability

No data available

### 10.3. Possibility of hazardous reactions

No data available

### 10.4. Conditions to avoid

No data available

### 10.5. Incompatible materials

No data available

### 10.6. Hazardous decomposition products

No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 20 May 2021

Print date: 14 Feb 2022

Version: 1.1



## PROOFMATE TX-W A-Komponente

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Substance name	Toxicological information
bis-[4-(2,3-epoxypropoxy)phenyl]propane CAS No.: 1675-54-3 EC No.: 216-823-5	<b>LD<sub>50</sub> oral:</b> 15,000 mg/kg (Rat) <b>LD<sub>50</sub> dermal:</b> 23,000 mg/kg (Rabbit)
1,6-bis(2,3-epoxypropoxy)hexane CAS No.: 16096-31-4 EC No.: 240-260-4	<b>LD<sub>50</sub> oral:</b> 8,500 mg/kg (Rat) <b>LD<sub>50</sub> dermal:</b> >4,900 mg/kg (Rabbit)
Reaction mass of 2,2'-[methylenebis(2,1-phenyleneoxymethylene)]bis(oxirane) and 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]bis(oxirane) and 2-({2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy}methyl)oxirane EC No.: 701-263-0	<b>LD<sub>50</sub> oral:</b> >2,000 mg/kg (Rat) <b>LD<sub>50</sub> dermal:</b> >2,000 mg/kg (Rat)

#### Acute oral toxicity:

Based on available data, the classification criteria are not met.

#### Acute dermal toxicity:

Based on available data, the classification criteria are not met.

#### Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

#### Skin corrosion/irritation:

Causes skin irritation.

#### Serious eye damage/irritation:

Causes serious eye irritation.

#### Respiratory or skin sensitisation:

May cause an allergic skin reaction.

#### Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

#### Carcinogenicity:

Based on available data, the classification criteria are not met.

#### Reproductive toxicity:

Based on available data, the classification criteria are not met.

#### STOT-single exposure:

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure:

Based on available data, the classification criteria are not met.

#### Aspiration hazard:

Based on available data, the classification criteria are not met.

#### Additional information:

No data available

#### 11.2. Information on other hazards

No data available

### SECTION 12: Ecological information

#### 12.1. Toxicity

Substance name	Toxicological information
bis-[4-(2,3-epoxypropoxy)phenyl]propane CAS No.: 1675-54-3	<b>LC<sub>50</sub>:</b> 2 mg/l 4 d (fish, <i>Oncorhynchus mykiss</i> (Rainbow trout))

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 20 May 2021

Print date: 14 Feb 2022

Version: 1.1



## PROOFMATE TX-W A-Komponente

Substance name	Toxicological information
EC No.: 216-823-5	EC <sub>50</sub> : 11 mg/l 3 d (Algae/water plant, Selenastrum capricornutum) EC <sub>50</sub> : 1.8 mg/l 2 d (Daphnia magna (Big water flea))
1,6-bis(2,3-epoxypropoxy)hexane CAS No.: 16096-31-4 EC No.: 240-260-4	LC <sub>50</sub> : 30 mg/l 4 d (fish, Oncorhynchus mykiss (Rainbow trout)) LC <sub>50</sub> : 23.1 mg/l 2 d (Algae/water plant) EC <sub>50</sub> : 67 mg/l 2 d (Daphnia magna (Big water flea))
Reaction mass of 2,2'-[methylenebis(2,1-phenyleneoxymethylene)]bis(oxirane) and 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]bis(oxirane) and 2-({2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy}methyl)oxirane EC No.: 701-263-0	LC <sub>50</sub> : 2.55 mg/l 2 d (crustaceans, Daphnia magna (Big water flea)) LC <sub>50</sub> : 1.8 mg/l 3 d (Algae/water plant, Selenastrum capricornutum) EC <sub>50</sub> : 2.54 mg/l 4 d (fish, Leuciscus idus (golden orfe))

### Aquatic toxicity:

Toxic to aquatic life with long lasting effects.

### 12.2. Persistence and degradability

No data available

### 12.3. Bioaccumulative potential

No data available

### 12.4. Mobility in soil

No data available

### 12.5. Results of PBT and vPvB assessment

Substance name	Results of PBT and vPvB assessment
bis-[4-(2,3-epoxypropoxy)phenyl]propane CAS No.: 1675-54-3 EC No.: 216-823-5	—
1,6-bis(2,3-epoxypropoxy)hexane CAS No.: 16096-31-4 EC No.: 240-260-4	—
Reaction mass of 2,2'-[methylenebis(2,1-phenyleneoxymethylene)]bis(oxirane) and 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]bis(oxirane) and 2-({2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy}methyl)oxirane EC No.: 701-263-0	—

### 12.6. Endocrine disrupting properties

No data available

### 12.7. Other adverse effects

No data available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### 13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

#### Waste code product

08 02 99	Wastes not otherwise specified
----------	--------------------------------

#### Waste treatment options

#### Appropriate disposal / Product:

Consult the appropriate local waste disposal expert about waste disposal.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 20 May 2021









Print date: 14 Feb 2022

Version: 1.1

**TPH.**  
waterproofing systems

## PROOFMATE TX-W A-Komponente

### SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
<b>14.1. UN number or ID number</b>			
UN 3082	UN 3082	UN 3082	UN 3082
<b>14.2. UN proper shipping name</b>			
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Epoxy resin)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Epoxy resin)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Epoxy resin)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Epoxy resin)
<b>14.3. Transport hazard class(es)</b>			
 9	 9	 9	 9
<b>14.4. Packing group</b>			
III	III	III	III
<b>14.5. Environmental hazards</b>			
		 MARINE POLLUTANT	
<b>14.6. Special precautions for user</b>			
<b>Special provisions:</b> 274   335   375   601 <b>Limited quantity (LQ):</b> 5 L <b>Excepted Quantities (EQ):</b> E1 <b>Hazard identification number (Kemler No.):</b> 90 <b>Classification code:</b> M6 <b>Tunnel restriction code:</b> (-)	<b>Special provisions:</b> 274   335   375   601 <b>Limited quantity (LQ):</b> 5 L <b>Excepted Quantities (EQ):</b> E1 <b>Classification code:</b> M6	<b>Special provisions:</b> 274   335   969 <b>Limited quantity (LQ):</b> 5 L <b>Excepted Quantities (EQ):</b> E1 <b>EmS-No.:</b> F-A, S-F	<b>Special provisions:</b> A97   A158   A197   A215 <b>Limited quantity (LQ):</b> Y964 <b>Excepted Quantities (EQ):</b> E1

#### 14.7. Maritime transport in bulk according to IMO instruments

No data available

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU legislation

No data available

##### 15.1.2. National regulations

 [DE] National regulations

##### Water hazard class

###### WGK:

2 - deutlich wassergefährdend

#### 15.2. Chemical Safety Assessment

No data available



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 20 May 2021

Print date: 14 Feb 2022

Version: 1.1



## PROOFMATE TX-W A-Komponente

### SECTION 16: Other information

#### 16.1. Indication of changes

No data available

#### 16.2. Abbreviations and acronyms

No data available

#### 16.3. Key literature references and sources for data

No data available

#### 16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Skin corrosion/irritation ( <i>Skin Irrit. 2</i> )	H315: Causes skin irritation.	
Respiratory or skin sensitisation ( <i>Skin Sens. 1</i> )	H317: May cause an allergic skin reaction.	
Serious eye damage/eye irritation ( <i>Eye Irrit. 2</i> )	H319: Causes serious eye irritation.	
Hazardous to the aquatic environment ( <i>Aquatic Chronic 2</i> )	H411: Toxic to aquatic life with long lasting effects.	

#### 16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements	
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

#### 16.6. Training advice

No data available

#### 16.7. Additional information

No data available