

No. 1907/2006 (REACH) Printed 05.04.2019

Revision 28.03.2019 (GB) Version 3.2

**PUR-O-STOP HF B-Komponente** 

## ! SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Name of product PUR-O-STOP HF B-Komponente

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

No information available.

## 1.3. Details of the supplier of the safety data sheet

Manufacturer/distributor TPH Bausysteme GmbH

Nordportbogen 8, D-22848 Norderstedt

Phone +49 (0)40 / 52 90 66 78-0, Fax +49 (0)40 / 52 90 66

78-78

E-Mail info@tph-bausysteme.com Internet www.tph-bausysteme.com

**Advice** 

E-mail (competent person): sdb-info@tph-bausysteme.com

1.4. Emergency telephone number

Emergency advice GIZ-Nord

Phone +49 (0)551 / 19240

#### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]

Hazard classes and Hazard categories	Hazard Statements	Classification procedure
Acute Tox. 4	H332	
Skin Irrit. 2	H315	
Eye Irrit. 2	H319	
Resp. Sens. 1	H334	
Skin Sens. 1	H317	
Carc. 2	H351	
STOT SE 3	H335	
STOT RE 2	H373	

#### Hazard statements for health hazards

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure.

#### **Additional hints**

This mixture is classified as hazardous according to Regulation (EC) No 1272/2008 [GHS].

#### 2.2. Label elements



No. 1907/2006 (REACH) Printed 05.04.2019

Revision 28.03.2019 (GB) Version 3.2

**PUR-O-STOP HF B-Komponente** 

## Labelling according to Regulation (EC) No 1272/2008 [CLP/GHS]





GHS07

GHS08

#### Signal word

Danger

#### Hazard statements for health hazards

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation. H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

#### **Precautionary Statements**

#### Prevention

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P285 In case of inadequate ventilation wear respiratory protection.

#### Response

P302 + P352 IF ON SKIN: Wash with plenty of water/soap.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

P338 if present and easy to do. Continue rinsing.

## Hazardous ingredients for labeling

Isocyanic acid, polymethylenepolyphenylene ester

## Special rules for supplemental label elements for certain mixtures

Contains isocyanates. May produce an allergic reaction.

#### 2.3. Other hazards

No information available.

## **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

not applicable

#### 3.2. Mixtures

#### **Hazardous ingredients**

CAS No	EC No	Name	[% weight]	Classification according to Regulation (EC) No 1272/2008 [CLP/ GHS]
101-68-8	202-966-0	diphenylmethane-4,4'-diisocyanate		Carc. 2, H351 / Acute Tox. 4, H332 / STOT RE 2, H373 / Eye Irrit. 2, H319 / STOT SE 3, H335 / Skin Irrit. 2, H315 / Resp. Sens. 1, H334 / Skin Sens. 1, H317



No. 1907/2006 (REACH) Printed 05.04.2019

Revision 28.03.2019 (GB) Version 3.2

**PUR-O-STOP HF B-Komponente** 

Hazardous ingredients (continued)

CAS No EC No Name [%

[% Classification according to weight] Regulation (EC) No 1272/2008 [CLP/

.uei

9016-87-9 Isocyanic acid, 60 - 100 Acute Tox.4, H332 / Skin. Irrit.2, H315 / polymethylenepolyphenylene ester Eye Irrit. 2, H319 / Resp. Sens. 1,

Eye Irrit. 2, H319 / Resp. Sens. 1, H334 / Skin. Sens. 1, H317 / Carc. 2, H351 / STOT SE 3, H335 / STOT RE 2,

H373

#### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

#### In case of inhalation

Ensure of fresh air.

Seek medical treatment immediately.

#### In case of skin contact

In case of contact with skin wash off immediately with soap and water.

Consult a doctor if skin irritation persists.

#### In case of eye contact

In case of contact with eyes rinse thoroughly with plenty of water and seek medical advice.

## In case of ingestion

Do not induce vomiting.

Call for a doctor immediately.

Rinse out mouth thoroughly with water.

## 4.2. Most important symptoms and effects, both acute and delayed Physician's information / possible symptoms

The following symptoms may occur:

Coughing

Asthmatic complaints

## 4.3. Indication of any immediate medical attention and special treatment needed Treatment (Advice to doctor)

Treat symptoms.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media Suitable extinguishing media

Foam

Dry powder

Gaseous fire-extinguishing substance

Carbon dioxide

### Unsuitable extinguishing media

water



No. 1907/2006 (REACH) Printed 05.04.2019

Revision 28.03.2019 (GB) Version 3.2

**PUR-O-STOP HF B-Komponente** 

#### 5.2. Special hazards arising from the substance or mixture

In case of fire formation of dangerous gases possible.

In the event of fire the following can be released:

Nitrogen oxides (NOx)

Carbon monoxide (CO)

Carbon dioxide (CO2)

Hydrogen cyanide (HCN)

#### 5.3. Advice for firefighters

## Special protective equipment for fire-fighters

Use breathing apparatus with independent air supply.

Wear full protective clothing.

#### **Additional information**

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

Collect contaminated firefighting water separately, must not be discharged into the drains.

#### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures For non-emergency personnel

Personal protection by wearing close-fitting protective clothing and breathing apparatus.

High risk of slipping due to leakage/spillage of product.

#### 6.2. Environmental precautions

Do not discharge into the drains or bodies of water...

Do not discharge into the subsoil/soil.

#### 6.3. Methods and material for containment and cleaning up

Take up with absorbent material (e.g. sand).

Do not take up with sawdust or other combustible materials.

After taking up the material dispose according to regulation.

#### **Additional Information**

Informations for disposal see chapter 13.

### 6.4. Reference to other sections

No information available.

#### **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

#### Advice on safe handling

Care for thoroughly room ventilation, if necessary use in well ventilated area with local exhaust ventilation at workplace.

No special measures necessary if used correctly.

Take the usual precautions when handling with chemicals.

## **General protective measures**

Avoid contact with eyes and skin

Do not inhale gases/vapours/aerosols.

#### **Hygiene measures**

At work do not eat, drink and smoke.

Remove soiled or soaked clothing immediately.



No. 1907/2006 (REACH) Printed 05.04.2019

28.03.2019 (GB) Version 3.2 Revision

**PUR-O-STOP HF B-Komponente** 

Wash hands before breaks and after work.

## Advice on protection against fire and explosion

No special measures necessary.

## 7.2. Conditions for safe storage, including any incompatibilities Requirements for storage rooms and vessels

Keep in closed original container.

Do not use containers, leads, pipes a.s.o. of copper or copper-containing alloys.

Use steel or stainless steel containers.

#### Advice on storage compatibility

Keep away from water.

## Further information on storage conditions

Store closed container at cool and aired place.

Protect from frost.

Protect from atmospheric moisture and water

Storage group 10

#### 7.3. Specific end use(s)

No information available.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

## 8.2. Exposure controls

#### Respiratory protection

If ventilation insufficient, wear respiratory protection.

#### Hand protection

Synthetic rubber gloves

Neoprene gloves

## Eye protection

tightly fitting goggles

#### Other protection measures

protective clothing

#### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

**Appearance** Colour liquid

dark brown characteristic

Odour

**Odour threshold** 

not determined

Important health, safety and environmental information

Value Temperature Method Remark

pH value not applicable



# Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Printed 05.04.2019

Revision 28.03.2019 (GB) Version 3.2

## **PUR-O-STOP HF B-Komponente**

	Value	Temperature	at	Method	Remark
Acid number	not applicable				
boiling range	245 °C				
melting point	No data available				
Flash point	230 °C			closed cup	
Vapourisation rate	No data available				
Flammable (solid)	No data available				
Flammability (gas)	No data available				
Ignition temperature	No data available				
Self ignition temperature	No data available				
Lower explosion limit	not applicable				
Upper explosion limit	not applicable				
Vapour pressure	No data available				
Relative density	ca. 1,23 g/cm3	23 °C		DIN EN ISO 2811-1	
Bulk density	not applicable				
Vapour density	No data available				
Solubility in water					Reacts with water
Solubility/other			not determined		
Partition coefficient noctanol/water (log PO/W)	not applicable				
Decomposition temperature	No data available				
Viscosity dynamic	ca. 240	23 °C		DIN EN ISO 2555	
Solvent separation test	not determined				
Solvent content	0 %				



No. 1907/2006 (REACH) Printed 05.04.2019

Revision 28.03.2019 (GB) Version 3.2

**PUR-O-STOP HF B-Komponente** 

Water content

0 %

Solids content

not applicable

Combustion value

not applicable

Oxidising properties
no

Explosive properties
no

9.2. Other information

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

no

No information available.

#### 10.2. Chemical stability

No information available.

## 10.3. Possibility of hazardous reactions

No information available.

#### 10.4. Conditions to avoid

Reaction with water, with formation of carbon dioxide.

Reactions with alcohols, amines, aqueous acids and alkalies.

## 10.5. Incompatible materials

## Substances to avoid

Reactions with acids.

Reactions with water.

Reactions with alcohols.

Reactions with alkalies.

Reactions with amines.

## 10.6. Hazardous decomposition products

Carbon monoxide Carbon dioxide

**HCN** 

Nitrous oxides (NOx)

Hydrocarbons

#### Thermal decomposition

Remark No decomposition if used as directed.



No. 1907/2006 (REACH) Printed 05.04.2019

Revision 28.03.2019 (GB) Version 3.2

**PUR-O-STOP HF B-Komponente** 

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

## Acute toxicity/Irritation/Sensitization

	Value/Validation	Species	Method	Remark
LD50 acute oral	> 5000 mg/kg	rat		
LD50 acute dermal	> 9400 mg/kg	rabbit		
LC50 acute inhalation	0,49 mg/l (4 h)	rat		
Skin irritation	irritant	rabbit		
Eye irritation	non-irritant	rabbit eye		
Skin sensitization	non-sensitizing	Guinea pig	OECD 406	
Sensitization respiratory system	sensitizing	Guinea pig	No official guidelines	
Subacute Toxicity -	Carcinogenicity			

## **Subacute Toxicity - Carcinogenicity**

	Value	Species	Method	Validation
Subacute Toxicity	No information available.			
Subchronic Toxicity	No information available.			
Chronic Toxicity	NOEC dusts and mist 0,2 mg/m3 Combined Chronic Toxicity / C	Carcinogenic Studies	OECD 453	
Mutagenicity	OECD 474 Mammalian Erythr	rocyte Micronucleus Test	OECD 474	not mutagenic
Reproduction- Toxicity	NOAEL 12 mg/m3 Prenatal Developmental Toxici	rat ity Study	OECD 414	
Carcinogenicity	Combined Chronic Toxicity / C	rat Carcinogenic Studies	OECD 453	positive

## Specific target organ toxicity (single exposure)

No data available

## Specific target organ toxicity (repeated exposure)

No data available

#### **Aspiration hazard**

No data available



No. 1907/2006 (REACH) Printed 05.04.2019

Revision 28.03.2019 (GB) Version 3.2

**PUR-O-STOP HF B-Komponente** 

## **Experiences made from practice**

Sensitization through inhalation possible. Sensitization through skin contact possible. Irritates respiratory tract. Irritates eyes and skin.

#### **Additional information**

The declarations of toxicology refer to main component.

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

## **Ecotoxicological effects**

	Value	Species	Method	Validation
Fish	LC50 > 1000 mg/l (96 h)		OECD 203	
Daphnia	EC50 > 1000 mg/l (48 h)		OECD 202	
Algae	not determined			
Bacteria	EC50 > 100 mg/l (3 h)		OECD 209	
12.2. Persiste	nce and degradability Elimination rate	Method of analysis	Method	Validation
Physico- chemical degradability	not determined			
Biological degradability	0 % (28 d)		OECD 302 C	
Degradability	not determined			

Biological eliminability

not determined

Degradability according to

**WRMG** 

not determined

### 12.3. Bioaccumulative potential

The product has not been tested. Because of the product's consistency and low solubility in water bioavailability is not likely.

#### 12.4. Mobility in soil

No data available

#### 12.5. Results of PBT and vPvB assessment

No information available.

#### 12.6. Other adverse effects

No information available.

## Behaviour in sewage plant

not determined



No. 1907/2006 (REACH) Printed 05.04.2019

Revision 28.03.2019 (GB) Version 3.2

**PUR-O-STOP HF B-Komponente** 

Respiration inhibition of activated sluge

Value Method Remark

EC 50 not determined

Additional ecological information

Value Method Remark

**OC** not determined

**COD** not determined

BOD not determined

AOX The product contains organically bound halogen in accordance with the formulation. It can contribute to

the adsorbable organic halogen value in the effluent from sewage treatment plants.

#### Contains following heavy metals and compounds of the 76/464/EWG

no

#### General regulation

Product is not allowed to be discharged into aquatic environment, drains or sewage treatment plants.

The information to ecology refers to main component.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste code No. Name of waste waste isocyanates

16 03 05\* organic wastes containing hazardous substances

Wastes marked with an asterisk are considered to be hazardous waste pursuant to Directive 2008/98/EC on hazardous waste.

#### Recommendations for the product

In accordance with regulations for special waste, must be taken to a special waste disposal.

#### Recommendations for packaging

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.

Packaging that cannot be cleaned should be disposed of like the product.

## **SECTION 14: Transport information**

	ADR/RID	IMDG	IATA-DGR
14.1. UN number	-	-	-
14.2. UN proper shipping name	-	-	-
14.3. Transport hazard class(es)	-	-	-



No. 1907/2006 (REACH) Printed 05.04.2019

Revision 28.03.2019 (GB) Version 3.2

**PUR-O-STOP HF B-Komponente** 

	ADR/RID	IMDG	IATA-DGR
14.4. Packing group	-	-	-
14.5. Environmental hazards	-	-	-

#### 14.6. Special precautions for user

No information available.

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information available.

#### Land and inland navigation transport ADR/RID

No dangerous goods as defined by these transport regulations.

#### Marine transport IMDG

No dangerous goods as defined by these transport regulations.

#### Air transport ICAO/IATA-DGR

No dangerous goods as defined by these transport regulations.

#### Transport/further information

No dangerous goods as defined by the transport regulations - ADR/RID, IMDG, ICAO/IATA-DGR.

#### **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **National regulations**

#### Other regulations, restrictions and prohibition regulations

Work medicine Principles G27: "Isocyanate"

ZH 1/34 "Data Sheet: Polyurethane manufacture / Isocyanate (M 044)"

MAL-Code: 00-5 (Denmark)

ZH 1/129 "Data Sheet: Irritating substances / corrosive substances (M 004)"

Water hazard class 1 Mixture-WGK

Decree for case of interference/remarks

Accident decree, addendum II: not named.

## 15.2. Chemical Safety Assessment

No information available.

#### **SECTION 16: Other information**

#### Recommended uses and restrictions

National and local regulations concerning chemicals shall be observed.

#### **Further information**

The information contained herein is based on the state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.

Indication of changes: "!" = Data changed compared with the previous version. Previous version: 3.1

H315 Causes skin irritation.



H317

H319

Safety Data Sheet according to Regulation (EC)

No. 1907/2006 (REACH) Printed 05.04.2019

Revision 28.03.2019 (GB) Version 3.2

**PUR-O-STOP HF B-Komponente** 

H332	Harmful if inhaled.	
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.	

H335 May cause respiratory irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

H351 Suspected of causing cancer (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard).

H373 May cause damage to organs (or state all organs affected, if known) through prolonged or repeated exposure (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard).